

Prof. Roberto Massa

C.V. flash

Roberto Massa, MD, is Associate Professor of Neurology and Director of the undergraduate training programme in Neurophysiopathology at the University of Rome 'Tor Vergata', Italy. He coordinates the Neuromuscular Disorders Centre at the University of Rome 'Tor Vergata' Hospital in Rome.

Prof. Massa has wide-ranging interests in neuromuscular disorders, with a special interest in skeletal muscle pathology, and has participated in research that has focused on identification and characterization of several neuromuscular disorders. He is past Secretary of the Italian Myological Association (AIM), and has served on the Board of Directors of the Italian Neuropathological Association (AINP). He is a member of the World Muscle Society, of the International Society of Neuropathology, and of the Italian Society of Neurology.

Prof. Massa is a graduate of the University of Rome 'La Sapienza' School of Medicine (1982), undertook his neurological training at the Umberto I University Hospital in Rome (1982-86), and post-doc fellowship training in Neuromuscular Disorders at the Montreal Neurological Institute and Hospital, Montreal, Canada (1988-90).

Pubblicazioni scientifiche "peer reviewed" degli ultimi 5 anni

1: Sarpa MG, Ferrazzoli D, **Massa R**, Garaci F, Izzi F, Romigi A, Liguori C, Placidi F. Paucisymptomatic Marchiafava-Bignami disease with relevant diffusion weighted MRI lesions. *Int J Neurosci.* 2013 May 3. [Epub ahead of print] PubMed PMID: 23638646.

2: Racca F, Mongini T, Wolfner A, Vianello A, Cutrera R, Del Sorbo L, Capello EC, Gregoretti C, **Massa R**, De Luca D, Conti G, Tegazzin V, Toscano A, Ranieri VM. Recommendations for anesthesia and perioperative management of patients with neuromuscular disorders. *Minerva Anestesiol.* 2013 Apr;79(4):419-33.

3: Liguori C, Marciani MG, Albanese M, **Massa R**, Izzi F, Placidi F, Mercuri NB, Romigi A. Spasticity as an ictal pattern due to excitotoxic upper motor neuron damage. *Epilepsy Behav.* 2012 Nov;25(3):397-400.

4: Testi M, Terracciano C, Guagnano A, Testa G, Marfia GA, Pompeo E, Andreani M, **Massa R**. Association of HLA-DQB1*05:02 and DRB1*16 Alleles with Late-Onset, Nonthymomatous, AChR-Ab-Positive Myasthenia Gravis. *Autoimmune Dis.* 2012;2012:541760. doi: 10.1155/2012/541760. Epub 2012 Oct 9.

5: Di Filippo M, Franciotta D, **Massa R**, Di Gregorio M, Zardini E, Gastaldi M, Terracciano C, Rastelli E, Gaetani L, Iannone A, Menduno P, Floridi P, Sarchielli P, Calabresi P. Recurrent hyperCKemia with normal muscle biopsy in a pediatric patient with neuromyelitis optica. *Neurology.* 2012 Sep 11;79(11):1182-4.

6: Sansone VA, Ricci C, Montanari M, Apolone G, Rose M, Meola G; **INQoL Group**. Measuring quality of life impairment in skeletal muscle channelopathies. *Eur J Neurol.* 2012 Nov;19(11):1470-6.

7: Terracciano C, Celi M, Lecce D, Baldi J, Rastelli E, Lena E, **Massa R**, Tarantino U. Differential features of muscle fiber atrophy in osteoporosis and osteoarthritis. *Osteoporos Int.* 2013 Mar;24(3):1095-100.

- 8: Terracciano C, Rastelli E, **Massa R**. Periodic acid-Schiff staining on resin muscle sections: improvement in the histological diagnosis of late-onset Pompe disease. *Muscle Nerve*. 2012 Apr;45(4):611-2.
- 9: Rocchi C, Greco V, Urbani A, Di Giorgio A, Priori M, **Massa R**, Bernardi G, Marfia GA. Subclinical autonomic dysfunction in spinobulbar muscular atrophy (Kennedy disease). *Muscle Nerve*. 2011 Nov;44(5):737-40.
- 10: Rinaldi F, Terracciano C, Pisani V, **Massa R**, Loro E, Vergani L, Di Girolamo S, Angelini C, Gourdon G, Novelli G, Botta A. Aberrant splicing and expression of the non muscle myosin heavy-chain gene MYH14 in DM1 muscle tissues. *Neurobiol Dis*. 2012 Jan;45(1):264-71.
- 11: Pisani V, Tirabasso A, Mazzone S, Terracciano C, Botta A, Novelli G, Bernardi G, **Massa R**, Di Girolamo S. Early subclinical cochlear dysfunction in myotonic dystrophy type 1. *Eur J Neurol*. 2011 Dec;18(12):1412-6.
- 12: Romigi A, Izzi F, Pisani V, Placidi F, Pisani LR, Marciani MG, Corte F, Panico MB, Torelli F, Uasone E, Vitrani G, Albanese M, **Massa R**. Sleep disorders in adult-onset myotonic dystrophy type 1: a controlled polysomnographic study. *Eur J Neurol*. 2011 Sep;18(9):1139-45.
- 13: Terracciano C, Fiore S, Doldo E, Manzari V, Marfia GA, Bernardi G, **Massa R**, Albonici L. Inverse correlation between VEGF and soluble VEGF receptor 2 in POEMS with AIDP responsive to intravenous immunoglobulin. *Muscle Nerve*. 2010 Sep;42(3):445-8.
- 14: Sansone VA, Panzeri M, Montanari M, Apolone G, Gandossini S, Rose MR, Politano L, Solimene C, Siciliano G, Volpi L, Angelini C, Palmieri A, Toscano A, Musumeci O, Mongini T, Vercelli L, **Massa R**, Panico MB, Grandi M, Meola G. Italian validation of INQoL, a quality of life questionnaire for adults with muscle diseases. *Eur J Neurol*. 2010 Sep;17(9):1178-87.
- 15: Alfonso C, Jann S, **Massa R**, Torreggiani A. Diagnosis, treatment and follow-up of the carpal tunnel syndrome: a review. *Neurol Sci*. 2010 Jun;31(3):243-52.
- 16: Orlacchio A, Babalini C, Borreca A, Patrono C, **Massa R**, Basaran S, Munhoz RP, Rogaeva EA, St George-Hyslop PH, Bernardi G, Kawarai T. SPATAC SIN mutations cause autosomal recessive juvenile amyotrophic lateral sclerosis. *Brain*. 2010 Feb;133(Pt 2):591-8.
- 17: **Massa R**, Panico MB, Caldarola S, Fusco FR, Sabatelli P, Terracciano C, Botta A, Novelli G, Bernardi G, Loreni F. The myotonic dystrophy type 2 (DM2) gene product zinc finger protein 9 (ZNF9) is associated with sarcomeres and normally localized in DM2 patients' muscles. *Neuropathol Appl Neurobiol*. 2010 Jun;36(4):275-84.
- 18: **Massa R**, Tessa A, Margollicci M, Micheli V, Romigi A, Tozzi G, Terracciano C, Piemonte F, Bernardi G, Santorelli FM. Late-onset MNGIE without peripheral neuropathy due to incomplete loss of thymidine phosphorylase activity. *Neuromuscul Disord*. 2009 Dec;19(12):837-40.
- 19: Pompeo E, Tacconi F, **Massa R**, Mineo D, Nahmias S, Mineo TC. Long-term outcome of thoracoscopic extended thymectomy for nonthymomatous myasthenia gravis. *Eur J Cardiothorac Surg*. 2009 Jul;36(1):164-9.
- 20: Denora PS, Schlesinger D, Casali C, Kok F, Tessa A, Boukhris A, Azzedine H, Dotti MT, Bruno C, Truchetto J, Biancheri R, Fedirko E, Di Rocco M, Bueno C, Malandrini A, Battini R, Sickl E, de Leva MF, Boespflug-Tanguy O, Silvestri G, Simonati A, Said E, Ferbert A, Criscuolo C, Heinemann K, Modoni A, Weber P,

Palmeri S, Plasilova M, Pauri F, Cassandrini D, Battisti C, Pini A, Tosetti M, Hauser E, Masciullo M, Di Fabio R, Piccolo F, Denis E, Cioni G, **Massa R**, Della Giustina E, Calabrese O, Melone MA, De Michele G, Federico A, Bertini E, Durr A, Brockmann K, van der Knaap MS, Zatz M, Filli A, Brice A, Stevanin G, Santorelli FM. Screening of ARHSP-TCC patients expands the spectrum of SPG11 mutations and includes a large scale gene deletion. *Hum Mutat.* 2009 Mar;30(3):E500-19.

21: Pisani V, Panico MB, Terracciano C, Bonifazi E, Meola G, Novelli G, Bernardi G, Angelini C, **Massa R**. Preferential central nucleation of type 2 myofibers is an invariable feature of myotonic dystrophy type 2. *Muscle Nerve.* 2008 Nov;38(5):1405-11.

22: **Massa R**, Bruno C, Martorana A, de Stefano N, van Diggelen OP, Federico A. Adult polyglucosan body disease: proton magnetic resonance spectroscopy of the brain and novel mutation in the GBE1 gene. *Muscle Nerve.* 2008 Apr;37(4):530-6.